



100% Cotton	100% Polyester	Poly/Cotton Blends	Nylon	Lycra®/Spandex	Leather	Sublimated Polyester	Home Iron Compatible	CPSIA Certified	Temperature (EasyPress® users add approximate 30°)	Pressure	Time (Seconds)	Peel Carrier
-------------	----------------	--------------------	-------	----------------	---------	----------------------	----------------------	-----------------	--	----------	----------------	--------------

## SISER® HEAT TRANSFER VINYL REFERENCE

EasyWeed®	✓	✓	✓			✓		✓	✓	305° F/150° C	med	10-15	hot or cold
EasyWeed® Extra		✓	✓	✓		✓		✓	✓	305° F/150° C	med	10-15	hot or cold
EasyWeed® Electric	✓	✓	✓			✓		✓	✓	305° F/150° C	med	15	hot or cold
EasyWeed® Stretch	✓	✓	✓		✓	✓		✓	✓	320° F/160° C	firm	20	hot or cold
EasySubli®	✓	✓	✓						✓	310° F/155° C	med	15	warm
EasyWeed® Sub Block		✓				✓			✓	265° F/130° C	med-firm	15	warm
EasyWeed® Adhesive	✓	✓	✓					✓	✓	275° F/135° C	med	5-10	hot
EasyReflective®	✓	✓	✓	✓				✓	✓	305° F/150° C	med	15	warm
BlackBoard™	✓	✓	✓					✓	✓	275° F/135° C	med	15	warm
Glitter	✓	✓	✓			✓		✓	✓	320° F/160° C	firm	15-20	warm
Holographic	✓	✓	✓			✓		✓	✓	320° F/160° C	med	10-15	cold
Metal	✓	✓	✓						✓	305° F/150° C	med	10-15	cold
StripFlock® Pro	✓	✓	✓			✓		✓	✓	310° F/155° C	med	15	warm
Brick® 600	✓	✓	✓					✓	✓	310° F/155° C	med-firm	15-20	cold
Sparkle™	✓	✓	✓					✓	✓	305° F/150° C	med	15	warm
Twinkle™	✓	✓	✓					✓	✓	305° F/150° C	med-firm	15	warm
EasyPatterns®	✓	✓	✓			✓		✓	✓	305° F/150° C	med	10-15	hot or cold

CPSIA means: This product has been independently lab tested and is Phthalate & Lead Free and is safe for application on children's products.  
Please test for compatibility on your garment before committing to production.



Ceramic	Drywall	Glass	Metal	Plastic	Wood	Surface Characteristics	Thickness	Durability	Cutting Blade Recommendation
---------	---------	-------	-------	---------	------	-------------------------	-----------	------------	------------------------------

## SISER® EASYPSV® REFERENCE

EasyPSV®	✓		✓	✓	✓	gloss	3 mils / 76.2 microns	3-5 year	45°
EasyPSV® Glitter	✓		✓	✓	✓	smooth gloss	3 mils / 76.2 microns	5 year	45°
EasyPSV® Etch	✓		✓	✓	✓	matte	3 mils / 76.2 microns	5-7 year	45°
EasyPSV® Glow	✓		✓	✓	✓	gloss	4.2 mils / 107 microns	indoor usage only	45°
EasyPSV® BlackBoard®	✓	✓	✓	✓	✓	matte	3 mils / 76.2 microns	2-3 year clean removability	45°
EasyPSV® Holographic	✓	✓	✓	✓	✓	pearlescent	3.15 mils / 88 microns	3 year clean removability	45°

Please test for compatibility on your surface before committing to decoration  
Not recommended for use with dishwasher or microwave.